

**Literature cited: CCE - CalCOFI Methods Manual**  
*CCE-CalCOFI Augmented Cruises & CCE Educational Outreach*

- Anderson, V.C. 1950. Sound scattering from a fluid sphere. *Journal of the Acoustical Society of America* **22**: 426-431.
- Arar, E.J. and G.B. Collins. 1997. In Vitro Determination of Chlorophyll-*a* and Pheophytin-*a* in Marine and Freshwater Phytoplankton by Fluorescence. Environmental Monitoring and Support Laboratory. U.S. EPA Method 445.0.
- Bodungen, V., B.M. Wunsch, and H. Furderer. 1991. Sampling and analysis of suspended and sinking particles in the northern North Atlantic. *Geophysical Monographs* **63**: 47-56.
- Brinton, E. 1962. The distribution of Pacific euphausiids. *Bulletin of the Scripps Institution of Oceanography* **8**: 51-270.
- Brinton, E. 1962a. Variable factors affecting the apparent range and estimated concentration of euphausiids in the North Pacific. *Pacific Science* **16**: 394-408.
- Brinton, E., M.D. Ohman, A.W. Townsend, M.D. Knight, and A.L. Bridgeman. 1999/2000. *Euphausiids of the World Ocean*, CD-ROM. MacIntosh version 1.0 ed. (1999), Windows version 1.0 ed. (2000). UNESCO Publishing and ETI (Expert Center for Taxonomic Identification, University of Amsterdam).
- Brown, S.L., M.R. Landry, K.E. Selph, E.J. Yang, Y.M. Rii, R.R. Bidigare. 2008. Diatoms in the desert: Plankton community response to a subtropical mesoscale eddy in the subtropical North Pacific. *Deep-Sea Research Part II* **55**: 1321-1333 [doi: 10.1016/j.dsr2.2008.02.012].
- Checkley, D.M. Jr., R.E. Davis, A.W. Herman, and G.A. Jackson. 2008. Assessing plankton and other particles in situ with the SOLOPC. *Limnology and Oceanography* **53**: 2123-2136.
- Chu, D., K.G. Foote, and T.K. Stanton. 1993. Further analysis of target strength measurements of Antarctic krill at 38 and 120 kHz: Comparison with deformed cylinder model and inference of orientation distribution. *Journal of the Acoustical Society of America* **93**: 2985-2988.
- Chu, D. and P.H. Wiebe. 2005. Measurements of sound-speed and density contrasts of zooplankton in Antarctic waters. *Ices Journal of Marine Science* **62**: 818-831.
- Chu, D., P. Wiebe, and N. Copley. 2000. Inference of material properties of zooplankton from acoustic and resistivity measurements. *Ices Journal of Marine Science* **57**: 1128-1142.
- De Robertis, A. and I. Higginbottom. 2007. A post-processing technique to estimate the signal-to-noise ratio and remove echosounder background noise. *Ices Journal of Marine Science* **64**: 1282-1291.

- Demer, D.A. 2004. An estimate of error for the CCAMLR 2000 survey estimate of krill biomass. *Deep-Sea Research Part II* **51**: 1237-1251.
- Demer, D.A., and L.V. Martin. 1995. Zooplankton target strength - volumetric or areal dependence. *Journal of the Acoustical Society of America* **98**: 1111-1118.
- Foote, K.G. 1987. Fish target strengths for use in echo integrator surveys. *Journal of the Acoustical Society of America* **82**: 981-987.
- Foote, K.G., H.P. Knudsen, G. Vestnes, D.N. MacLennan, and E.J. Simmonds. 1987. Calibration of acoustic instruments for fish density estimation: A practical guide. 69 pgs.
- Garrison, D.L., M.M. Gowing, M.P. Hughes, L. Campbell, D.A. Caron, M.R. Dennet, A. Shalapyonok, R.J. Olson, M.R. Landry, S.L. Brown, H. Liu, F. Azam, G.F. Steward, H.W. Ducklow, and D.C. Smith. 2000. Microbial food web structure in the Arabian Sea: a US JGOFS study. *Deep-Sea Research Part II* **47**: 1387-1422.
- General Oceanics Digital Flowmeter Mechanical and Electronic Operators Manual  
<http://cce.lternet.edu/docs/data/methods/M2-1314e%20Mechanical%20flowmeter.pdf>
- Gordon Jr., D.C. 1969. Examination of methods of particulate organic carbon analysis. *Deep-Sea Research* **16**: 661-665.
- Gordon, L.I., J.C. Jennigs, A.A. Ross, and J.M. Krest. 1993. A Suggested Protocol for Continuous Flow Automated Analysis of Seawater Nutrients (Phosphate, Nitrate, Nitrite and Silicic Acid) in the WOCE Hydrographic Program and the Joint Global Ocean Fluxes Study. WOCE Hydrographic Program Office, Methods Manual WHPO 91-1.
- Gorsky, G., M.D. Ohman, M. Picheral, S. Gasparini, L. Stemmann, J.B. Romagnan, A. Cawood, S. Pesant, and C. Garcia-Comas. 2010. Digital Zooplankton image analysis using the ZooScan integrated system. *Journal of Plankton Research* **32**: 285-303.
- Heinemann, D. 1981. A rangefinder for pelagic bird censusing. *Journal of Wildlife Management* **45**: 489-493.
- Herbland, A., A. Le Bouteiller, and P. Raimbault. 1985. Size structure of phytoplankton biomass in the equatorial Atlantic Ocean. *Deep-Sea Research* **32**: 819-836.
- Herman, A.W., B. Beanlands, and E.F. Phillips. 2004. The next generation of Optical Plankton Counter: the Laser-OPC. *Journal of Plankton Research* **26**: 1135-1145 [doi:10.1093/plankt/fbh095].
- Holliday, D.V. 1977. Extracting bio-physical information from the acoustic signatures of marine organisms. *In* *Ocean Sound Scattering Prediction*. N.R. Anderson and B.J. Zahuranec (Eds.) Marine Science Series **5**: 619-624. Plenum Press, New York, NY.

Holliday, D.V. and R.E. Pieper. 1995. Bioacoustical oceanography at high frequencies. *Ices Journal of Marine Science* **52**: 279-296.

Horne, J.K. 2000. Acoustic approaches to remote species identification: a review. *Fisheries Oceanography* **9**: 356-371.

Hosmer Jr., D.W. and S. Lemeshow. 2000. *Applied Logistic Regression*, 2<sup>nd</sup> Edition. Wiley, New York, NY.

Isaacs, J.D., A. Fleminger, and J.K. Miller. 1969. Distributional Atlas of zooplankton biomass in the California Current Region: Spring and Fall 1955-1959. *CalCOFI Reports* **10**: 1-252.

Jackson, G.A., R. Maffione, D.K. Costello, A.L. Alldredge, B.E. Logan, and H.G. Dam. 1997. Particle size spectra between 1 micron and 1 cm at Monterey Bay determined using multiple instruments. *Deep-Sea Research Part I* **44**: 1739-1767.

Jeffrey, S.W. and G.F. Humphrey. 1975. New Spectrophotometric equations for determining chlorophylls a, b, c1 and c2 in higher plants, algae, and natural phytoplankton. *Biochemie und Physiologie der Pflanzen* **167**: 191-194.

Johnson, K.S. and L.J. Coletti. 2002. In situ ultraviolet spectrophotometry for high resolution and long-term monitoring of nitrate, bromide and bisulfide in the ocean. *Deep Sea Research Part I* **49**: 1291-1305.

Kramer, D., M.J. Kalin, E.G. Stevens, J.R. Thrailkill, and J.K. Zweifel. 1972. Collecting and processing data on fish eggs and larvae in the California Current region. U.S. Dept. of Commerce, NOAA Technical Report, NMFS Circ-370, pp. iii-iv, 1-38.  
<http://swfsc.noaa.gov/publications/CR/1972/7213.PDF>

Lavaniegos, B.E. and M.D. Ohman. 2003. Long term changes in pelagic tunicates of the California Current. *Deep-Sea Research Part II* **50**: 2493-2518.

Lavaniegos, B.E. and M.D. Ohman. 2007. Coherence of long-term variations of zooplankton in two sectors of the California Current System. *Progress in Oceanography* **75**: 42-69.

Lavery, A.C., T.K. Stanton, D.E. McGehee, and D.Z. Chu. 2002. Three-dimensional modeling of acoustic backscattering from fluid-like zooplankton. *Journal of the Acoustical Society of America* **111**: 1197-1210.

Li, W.K.W. 1986. Experiment approaches to field measurements: methods and interpretation. *Canadian Bulletin of Fisheries and Aquatic Sciences* **214**: 251-286.

Madureira, L.S.P., I. Everson, and E.J. Murphy. 1993. Interpretation of acoustic data at 2 frequencies to discriminate between Antarctic krill (*Euphausia superba* Dana) and other scatterers. *Journal of Plankton Research* **15**: 787-802.

Maillet, G. and G. MacIntyre. 2009. Real-Time Monitoring of Nitrate with the Satlantic-ISUS Sensor. Online at: [http://www.meds-sdmm.dfo-mpo.gc.ca/isdm-gdsi/azmp-pmza/documents/docs/bulletin\\_6\\_10.pdf](http://www.meds-sdmm.dfo-mpo.gc.ca/isdm-gdsi/azmp-pmza/documents/docs/bulletin_6_10.pdf)

Menden-Deuer, S. and E.J. Lessard. 2000. Carbon to volume relationships for dinoflagellates, diatoms, and other protist plankton. *Limnology and Oceanography* **45**: 569-679.

Miyashita, K, I. Aoki, K. Seno, K. Taki, and T. Ogishima. 1997. Acoustic identification of isada krill, *Euphausia pacifica* Hansen, off the Sanriku coast, north-eastern Japan. *Fisheries Oceanography* **6**: 266-271.

Monger, B.C. and M.R. Landry. 1993. Flow cytometric analysis of marine bacteria with Hoechst 33342. *Applied Environmental Microbiology* **59**: 905-911.

Ohman, M.D. and P.E. Smith. 1995. A comparison of zooplankton sampling methods in the CalCOFI time series. *CalCOFI Report* **36**: 153-158.

Ohman, M.D., B.E. Lavaniegos, and A.W. Townsend. 2009. Multi-decadal variations in calcareous holozooplankton in the California Current System: Thecosome pteropods, heteropods, and foraminifera. *Geophysical Research Letters* **36**: L18608 [doi: 10.1029/2009GL039901].

Oozeki, Y., F.X. Hu, H. Kubota, H. Sugisaki, and R. Kimura. 2004. Newly designed quantitative frame trawl for sampling larval and juvenile pelagic fish. *Fisheries Science* **70**: 223-232.

Plankton Identifier Website (download Plankton Identifier software, Tanagra software, Plankton Identifier manual): [http://www.obs-vlfr.fr/~gaspari/Plankton\\_Identifier/](http://www.obs-vlfr.fr/~gaspari/Plankton_Identifier/)

Rebstock, G.A. 2001. Long-term changes in the species composition of calanoid copepods off Southern California. Ph.D. thesis, University of California, San Diego.

Satlantic Incorporated. 2005. MBARI-ISUS V2 Operation Manual, Document Number: SAT-DN-272, Revision G.1, August 2006.

Sharp, J.H. 1974. Improved analysis for "particulate" organic carbon and nitrogen from seawater. *Limnology and Oceanography* **19**: 984-989.

Sherr, E.B. and B.F. Sherr. 1993. Preservation and storage of samples for enumeration of heterotrophic protists. *In Handbook of Methods in Aquatic Microbial Ecology*. P.F. Kemp, J.J. Cole, B.F. Sherr, and E.B. Sherr (Eds.) pp. 207-212, CRC Press Boca Raton, Florida.

Simmonds, J. and D. MacLennan. 2005. *Fisheries Acoustics: Theory and Practice*, 2<sup>nd</sup> edition, Blackwell Publishing, Oxford.

SIO Shore Station (Online at <http://shorestation.ucsd.edu/index.html>)

Soldevilla M.S., S.M Wiggins, J. Calambokidis, A. Douglas, E.M. Oleson, and J.A. Hildebrand. 2006. Marine mammal monitoring and habitat investigations during CalCOFI surveys. CalCOFI Report **47**: 79-91.

Stanton, T.K., D. Chu, P. Wiebe, and C.S. Clay. 1993. Average echoes from randomly oriented random-length finite cylinders: Zooplankton models. Journal of the Acoustical Society of America **94**: 3463-3472.

Turner Designs Model 10-AU-005 Field Fluorometer User's Manual/November 1992 (P/N 10-AU-075).

Wright, S.W., S.W. Jeffery, R.F.C. Mantoura, C.A. Llewellyn, T. Bjornland, D. Repeta, and N. Welschmeyer. 1991. Improved HPLC method for the analysis of chlorophylls and carotenoids from marine phytoplankton. Marine Ecology Progress Series **77**: 183-196.

Yasuma, H., K. Sawada, T. Olishima, K. Miyashita, and I. Aoki. 2003. Target strength of mesopelagic lanternfishes (family Myctophidae) based on swimbladder morphology. Ices Journal of Marine Science **60**: 584-591.

Yen, P.P.Y., W.J. Sydeman, S.J. Bograd, and K.D. Hyrenbach. 2006. Spring-time distributions of migratory marine birds in the southern California Current: oceanic eddy associations and coastal habitat hotspots over 17 years. Deep-Sea Research Part II **53**: 399-418.

Yurista, P.M., J.R. Kelly, and S.E. Miller. 2005. Evaluation of optically acquired zooplankton size-spectrum data as a potential tool for assessment of condition in the Great Lakes. Environmental Management **35**: 34-44.

Zapata, M., F. Rodríguez, and J.L. Garrido. 2000. Separation of chlorophylls and carotenoids from marine phytoplankton: a new HPLC method using a reversed phase C-8 column and pyridine-containing mobile phases. Marine Ecology Progress Series **195**: 83-102.  
<http://dx.doi.org/10.1016/j.seares.2009.07.008>

Zooscan Website (download ImageJ software, Zooprocess software, VueScan drivers, and Zooscan manual): <http://www.obs-vlfr.fr/LOV/ZooPart/ZooScan/>